

Work Order ID 85935

June-18-12 3:29:59 PM

ASA 0

85935

Page 1

Item ID: D2370

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Litter Assembly

Start Date: 18/06/2012 Start Qty: 1.00

1

Cust Item ID:

Required Date: 25/06/2012 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals:

Process Plan: MLJ

Date: 12/06/18

Tooling:

Date:

Run Start *NR1*

QC:

Date:

SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D2370	Rev C

100 PURCHASING 0.00

100

Purchasing

Memo

0.00

Purchasing

Issue p/o: 17249 Order: Model 12-2A undrilled with grey pad & black
beltsSupplier: Ferno AviationLetter of compliance required

CX 12/06/19

110 Receive & Inspect for Damage & Mat'l Certs 0.00

110

Packaging

Memo

0.00

Packaging

Insure that letter of compliance is attached to w/o

12/6/26

120 QC6- Inspect dimensions to drawing 0.00

120

QC

Memo

0.00

Quality Control

DAS
16
2-23 2/7/13

18

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

-Work Order ID 85935

85935

Page 3

June-18-12 3:29:59 PM

Item ID: D2370

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Litter Assembly

Start Date: 18/06/2012 Start Qty: 1.00 ***1***

Cust Item ID:

Required Date: 25/06/2012 Req'd Qty: 1.00 ***1***

Customer:

Reference:


Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	QC21- Final Inspection - Work Order Release	0.00							
160									
QC	Memo	0.00							
Quality Control									

12/7/23 

mc
12-07-24

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

June-18-12 3:30:03 PM

Page 1

Work Order ID: 85935

85935

Parent Item: D2370

D2370

Parent Item Name: Litter Assembly

Start Date: 18/06/2012

Required Date: 25/06/2012

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP D 01.10.10 Changed D2484 nut for D3015-1 SM
IPP E 06.12.12 ecn 888 ec

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

MS27039-4-06		Purchased	No			110	Each	117.0000	2	2			
--------------	--	-----------	----	--	--	-----	------	----------	---	---	--	--	--

MS27039-4-06

Screw

**

Location

Loc Qty

Loc Code

ST292

117

119075

117

130

Each

6.0000

4

4

**

AN960JD416L

NAS1149D0416J Purchased

No

AN960JD416I

Washer

Location

Loc Qty

Loc Code

FP002

6

110153

6

130

Each

0.0000

1

1

**

D2370P

Purchased

No

D2370P

Litter Assembly

D2374

Manufactured

No

D2374

Stud

Location

Loc Qty

Loc Code

ST008

25

73325

5

79475

20

12/07/19

12/07/19

4

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

June-18-12 3:30:03 PM

Page 2

Work Order ID: 85935

85935

Parent Item: D2370

D2370

Parent Item Name: Litter Assembly

Start Date: 18/06/2012

Required Date: 25/06/2012

Start Qty: 1.00

Required Qty: 1.00

D2378

Manufactured No

130

Each

49.0000

4

4

D2378

Bolt

**

95/12/07/19

Location

Loc Qty

Loc Code

ST008

49

79476

49

D3015-1

Manufactured No

130

Each

449.0000

4

4

D3015-1

Lock Nut

**

95/12/07/19

Location

Loc Qty

Loc Code

ST023

449

14710

449

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries





DESIGN KE	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED PH	APPROVED <i>[Signature]</i>	DRAWING NO. D2370	REV. C SHEET 1 OF 1
DATE 06.11.21	TITLE LITTER ASSEMBLY		SCALE NTS
A	95.02.20	NEW ISSUE	
B	98.06.09	ADDED Ø0.191 HOLES	
C	06.11.21	ADD ALTERNATE FOR D2484, MS SCREWS, TAPPED HOLES, AND 5.00 WAS 5.34	

RELEASED
06.12.05

D2370	Part No.	Description
X	D2370	LITTER ASSEMBLY
4	D2374	STUD
4	D2378	MOUNTING BOLT
2	D2379	RESTRAINT BELTS
1	D2381-1	LITTER PAD
1	D2381-3	LITTER PAD
4	D2484	NUT (OR D3015-1) Δ
1	D2485	LITTER FRAME
4	AN960JD416L	WASHER
2	MS27039-4-06	SCREW Δ

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
WITHOUT NOTICE
WORK ORDER
NO. 85935-42J
12/06/18



- NOTES:
- 1) ALL DIMENSIONS ARE IN INCHES
 - 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE STATED
 - 3) FINISH: NONE
 - 4) TORQUE SCREWS TO 15-25 in-lb
 - 5) REMOVE ALL SHARP EDGES 0.010 TO 0.020 MAX

DETAIL A
RIVET REPLACEMENT

Copyright © 1995 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

FERNO Aviation, INC.

735-B Branch Drive
Alpharetta, GA 30004
Office 770.521.1005 Fax 770.521.0910
<http://aviation.ferno.com>

Packing Slip

DATE	PACKING SLIP NO.
6/20/2012	12113

BILL TO
Dart Aerospace, Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7 Canada Attn: Accounts Payable

SHIP TO
Dart Aerospace, Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7 Canada Ref: PO17249

P.O. NUMBER	TERMS	REP	SHIP DATE	SHIP VIA	FOB	
PO17249	Net 30	KD	6/20/2012	Yellow Freight	Alpharetta, GA	
ITEM	DESCRIPTION				QTY ORD.	QTY DEL.
12-2A (DART) DAS 15 9-89 12/07/13	12-2A Litter Assembly W/Gray FAA Approved cover/pad assy. and Black FAA approved patient restraints S/N: (HS Code 8803.30.00.00), Serial # 12N230588, 12N20589, 12N230590, 12N230591 Order shipped via Yellow Freight Collect. Yellow Pro #				4	4

Thank you for your order!

Aircraft Belts Inc.
1176 Telecom Drive
Creedmoor NC 27522

Form: SC-108B
Phone: (800) 847-5651
Fax: (919) 956-4220



FAA R.S. #: YB1R632K

Packing Slip: 15768

Page: 1

PACKING SLIP / CERTIFICATION

TERMS: Net 30

Cust. ID: F38

Ship To:

Sold To:

Ferno Aviation
735-B Branch Drive
Alpharetta GA 30004

Ferno Aviation
735-B Branch Drive
Alpharetta GA 30004

PO: 7157
Ship Date: 1/16/2012

Ship Via: UPS 1- Ground
SO: 90474

FOB: ORIGIN
Sales Person: Duncan, Virginia

***** Ship UPS Ground acct # E1129E *****

Line	Planned Qty	Shipped Qty	Backorder	Part Number	Revision
1	40.00 EA	40.00	0.00	STF	C
Description: STFC3030-810 Stretcher Belt Kit					
2	20.00 EA	20.00	0.00	SUF	A
Description: SUF303042-810 Stretcher Belt w/Dual Shoulder Straps					
3	50.00 EA	50.00	0.00	STFL	C
Description: STFC3030-810 Stretcher Belt -					

CERTIFICATION

This is to certify that the above components have been manufactured/repared and inspected in accordance with current Federal Aviation Regulations: TSO C-22 and/or TSO C-114 and found airworthy for service unless otherwise noted. The conditions and tests required for TSO approval of this article are minimum performance standards. It is the responsibility of those desiring to install either on or within a specific type of class of aircraft to determine that the aircraft installation conditions are within the TSO standards. If not within the TSO standards, the article may be installed only if further evaluation by the applicant documents an acceptable installation and is approved by the administrator. Details of this manufacture/repair are on file at this facility.

BY: 